

# Elizabeth's Studio presents ...



Web: [www.elizabethsstudio.com](http://www.elizabethsstudio.com)

Email: [info@elizabethsstudio.com](mailto:info@elizabethsstudio.com)

Contact Info: Office 732-651-4115



Use accurate 1/4" seams unless indicated otherwise. Instructions are written in good faith. In the event of an error, please contact us. We will post any corrections on our web site.

## Assembly:

1. Lay out all twelve of your fussy-cut squares in an order that pleases you. Be sure to lay them out so the stripe designs go from side to side.
2. Pick up the first square in one of the rows and fold the upper right edge in half. Pinch to mark the center. Do the same along the long edge with one of your small Gold Setting Triangles. Lay the triangle right sides together with your square, matching the centers. Pin at the center; then sew with 1/4" seam. Press seam toward the triangle. Repeat on the upper left side of your fussy-cut square. Follow this same procedure for the other square at the top of the other row of fussy-cut squares.
3. Working with one of the same units as above, take one of the large Setting Triangles and lay it right sides together with the lower left side of your fussy-cut square. This time you will match the square corners of the two pieces. Pin, then sew; press seam toward the triangle. Repeat with the other unit at the top of your other row of squares.
4. Move down to the next square below the one you were just working with. Lay a large triangle at the upper right of the square. The long edge of the triangle



## NATIVE CHARM

### Fabrics Needed:

- Navajo Stripe (201 Turquoise) for fussy-cutting: 1/2 yard (shown above, right)
- Setting Triangles (202 Gold): 3/8 yard
- "Strippie" Rows (200 Terracotta): 1 1/8 yd.
- Border & Binding (202 Black): 1 3/8 yards
- Backing (197 Multi): 1 1/2 yards

### Project size: 32" by 44"

Includes two pieced rows which may be fussy-cut, plus an easy "strippie" layout with plain wide strips between the pieced rows.



### Cutting:

**NOTE:** WOF indicates cutting across the width of the fabric from selvage to selvage, usually about 42" wide.

- Fussy-Cut Squares: Cut a total of TWELVE 4 3/4" squares on the diagonal from the Navajo Stripe print (#201 Turquoise)
- Setting Triangles: Cut ONE 7 1/4" by WOF strip; then cut it into FIVE 7 1/4" squares. Bisect each square twice diagonally. From your remaining fabric, cut FOUR 3 7/8" triangles, then bisect each square ONCE diagonally.
- "Strippie" Rows: Cut ONE 6 1/2" by LENGTH of fabric strip, and TWO 3 1/2" by LENGTH of fabric strips.
- Border: Cut FOUR 4 1/2" by LENGTH of fabric strips.
- Binding: Cut FOUR 2 1/2" by LENGTH of fabric strips.



should be vertical. Flip the triangle so it is right sides together with the new square, and again match up the square corners of the two pieces. Pin, then sew; press toward the triangle. Repeat on the opposite side of the square, as shown in the diagram at right.

5. Continue piecing the fussy-cut squares until you reach the bottom square in each of the two rows. add the small triangles, just as you did during Step 2, time you will attach them to the lower left and right of the squares.
6. Sew the units together, matching the seams. Press all the seams in the same direction (all up, or all down).
7. Measure the length of your pieced strips, then cut your "Strippie" pieces (the Terracotta print) to the same length. Pin, then attach to the pieced rows, following the photo.
8. Cut TWO of your Border strips to the same length as your "Strippie" strips. Pin, then piece to the long edges of your quilt top. Press seams toward the new Border strips.
9. Measure new width of quilt top. Cut remaining two Border strips to this length. Pin, then attach to top and bottom edges of quilt top.
10. Layer, baste, quilt, bind, sign, and bring to your local quilt shop to show off your wonderful new quilt!



Then only this